

Cookie	Name	Purpose	More information
Browser Session Cookie	PHPSESSID	This cookie is set by the website when a user visits the site and is an essential cookie for the operation of the website. This cookie does not display any identifiable or tracking information and is deleted when the user closes their browser.	
Google Analytics	_ga _gat _gid	These cookies are used to collect information about how visitors use our site. We use the information to compile reports and to help us improve the site. The cookies collect information in an anonymous form, including the number of visitors to the site, where visitors have come to the site from and the pages they visited.	For an overview of privacy at Google please click here
Cloudflare	_cfduid	This cookie is used for Cloudflare's security features	More Information
Hotjar	_hjid	Hotjar cookie. This cookie is set when the customer first lands on a page with the Hotjar script. It is used to persist the Hotjar User ID, unique to that site on the browser. This ensures that behavior in subsequent visits to the same site will be attributed to the same user ID.	More information
Hotjar	_hjRecordingLastActivity	This should be found in sessionStorage (as opposed to cookies). This gets updated when a visitor recording starts and when data is sent through the WebSocket (the visitor performs an action that Hotjar records).	More information
Hotjar	hjTLDDTest	When the Hotjar script executes we try to determine the most generic cookie path we should use, instead of the page hostname. This is done so that cookies can be shared across subdomains (where applicable). To determine this, we try to store the _hjTLDDTest cookie for different URL substring alternatives until it fails. After this check, the cookie is removed.	More information
Hotjar	_hjUserAttributesHash	User Attributes sent through the Hotjar Identify API are cached for the duration of the session in order to know when an attribute has changed and needs to be updated.	More information